



# Professional Series Product Range

PROFESSIONAL SERIES



## Who We Are

Velcro Companies.....	4
VELCRO® Brand Solutions for the Construction Industry.....	6

## General Purpose

General Use Fastener.....	8
---------------------------	---

## High Performance

High Strength Fastener.....	10
Extreme Strength Fastener.....	12
Extra Thin Fastener.....	14
Universal Flooring Fastener.....	16
VELCRO® Brand ALFA-LOK® Fastener.....	18

## Straps & Tapes

VELCRO® Brand ONE-WRAP® Strap.....	20
VELCRO® Brand ONE-WRAP® Tape.....	26
VELCRO® Brand LogiStrap® Strap.....	30

## Agriculture & Gardening

Green Tie.....	32
----------------	----

## Additional Information

Sales Promotion Tools.....	34
Product Range Overview.....	35




# Velcro Companies


Velcro Companies is a technology-driven, global organization providing fastening solutions that solve problems in simple, elegant and surprising ways for businesses and consumers around the world. We have a heritage of innovation spanning more than 50 years and own over 400 active patents and numerous trademarks, including the VELCRO® trademark, which is registered throughout the world. We develop and deliver solutions for customers through an integrated production and service system that includes manufacturing locations in the United States, Canada, Mexico, Uruguay, Spain, Belgium, China and Vietnam and sales offices around the world.

-   
APPAREL
-   
CONSTRUCTION
-   
MEDICAL
-   
MILITARY &  
GOVERNMENT
-   
PACKAGING
-   
PERSONAL  
CARE
-   
TRANSPORTATION
-   
SPECIALTIES




 Our manufacturing facilities around the world

From more than  
50 different  
nationalities




**+3,000**  
employees

We create more than  
10 billion connections  
every year




**10 billion**  
connections

Last year we produced  
enough tape to circle  
the Earth 130 times




**5,300,000 Km**  
of tape


Developed since the  
creation of the original  
patent in 1952




**+1,000**  
patents



**+20 offices**  
worldwide



**Hidden  
hero**



**Hundreds of  
applications**


10 production facilities,  
4 R&D centers, 20 sales  
offices and distribution  
centers

Our products are connecting  
everyone everywhere in  
everyday life experiences

Infinite applications and uses by  
consumers and professionals  
around the world

# VELCRO® Brand Solutions for the Construction Industry

The VELCRO® Brand offers construction fastening systems that provide a greener alternative for manufacturers, architects, and builders –and can help earn potential green building rating points. These fastening solutions reduce the use of volatile organic compounds (VOCs), eliminate adhesive off-gassing, and reduce job site waste, while reducing the installation time. VELCRO® Brand construction fastening systems require fewer tools; are easy to replace and reposition; prevent damage to the underlying building envelope; and can be applied in a wider range of temperature and weather conditions for improved productivity and reduced labor costs.



# GENERAL USE FASTENER

VELCRO® Brand Hook & Loop closure. Medium profile. Adhesive designed for a wide number of substrates such as aluminum, stainless steel, glass, plywood and polyester. Adhesive is not suitable for polyethylene, polypropylene or vinyl-PVC. Medium adhesive temperature resistance. Medium tack adhesion.



CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	High
	PEEL	1.75 N/cm
	SHEAR	9.5 N/cm <sup>2</sup>
	TENSION	4.5 N/cm <sup>2</sup>
	ADHESIVE OPERATING TEMPERATURE	-15°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY		
Aluminium Adonized	✓	
Glass	✓	
Painted Wallboard	✓	
Plywood	✓	
Polyester	✓	
Polyethylene	✓	
Polypropylene	✓	
Stainless Steel	✓	
Vinyl	✗	
Formica (Polished Side)	✓	
Cardboard	✓	
Polyacrylic	✓	
Fabrics	✓	

✓ Recommended    ✓ Good    ✗ Not Recommended



\* Weight resistance of 50mm x 100mm of closure.

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20002	8412355200028	5 meters of Hook Tape 5 meters of Loop Tape	20mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20003	8412355200035	5 meters of Hook Tape 5 meters of Loop Tape	20mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20006	8412355200066	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20007	8412355200073	5 meters of Hook Tape 5 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20000	8412355200004	25 meters of Hook Tape 25 meters of Loop Tape	20mm	■	✓	6	Stick, staple, nail, screw
VEL-PS20001	8412355200011	25 meters of Hook Tape 25 meters of Loop Tape	20mm	□	✓	6	Stick, staple, nail, screw
VEL-PS20004	8412355200042	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20005	8412355200059	25 meters of Hook Tape 25 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw


ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C  
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours



# HIGH STRENGTH FASTENER

VELCRO® Brand Extruded Plastic Hook & Loop closure. Medium profile. Adhesive suitable for a wide number of substrates (PVC-vinyl, aluminum, stainless steel, glass, plywood and polyester) but not for polyethylene or polypropylene. High adhesive temperature resistance. Medium tack.



CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	Medium
	PEEL	6 N/cm
	SHEAR	31 N/cm²
	TENSION	9 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-20°C to +120°C

ADHESIVE SUBSTRATE COMPATIBILITY		
Aluminium Adonized	✓	
Glass	✓	
Painted Wallboard	✓	
Plywood	✓	
Polyester	✓	
Polyethylene	✗	
Polypropylene	✗	
Stainless Steel	✓	
Vinyl	✓	
Formica (Polished Side)	✓	
Cardboard	✓	
Polyacrylic	✓	
Fabrics	✓	

✓ Recommended    ✓ Good    ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20009	8412355200097	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20008	8412355200080	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw

COINS							
REFERENCE	EAN CODE	CONTENT	DIAMETER	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20010	8412355200103	6 coins of Hook 6 coins of Loop	∅45mm	■	✓	96	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C  
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours



\* Weight resistance of 50mm x 100mm of closure.



# EXTREME STRENGTH FASTENER

VELCRO® Brand VEL-LOC® (Mushroom) & Loop closure. Medium profile. Adhesive suitable for a wide number of substrates (including aluminum, stainless steel, glass, plywood and polyester). Adhesive is not suitable for polyethylene, polypropylene or vinyl-PVC. Medium adhesive temperature resistance. Extreme tack adhesion.



CLOSURE INFORMATION	
	MATERIAL: Polyester, Polypropylene, Polyamide
	CYCLE LIFE: Low
	PEEL: 24 N/cm
	SHEAR: 115 N/cm²
	TENSION: 11 N/cm²
	ADHESIVE OPERATING TEMPERATURE: -15°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended   
 ✓ Good   
 ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20012	8412355200127	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20011	8412355200110	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C  
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours



\* Weight resistance of 50mm x 100mm of closure.



# EXTRA THIN FASTENER

VELCRO® Brand Extruded Plastic Hook & Loop closure. Low profile. Adhesive suitable for a wide number of substrates (aluminum, stainless steel, glass, plywood, polyester, polyethylene and polypropylene). Low adhesive temperature resistance. Not compatible with PVC-vinyl. High tack.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene Polyamide
	CYCLE LIFE	Medium
	PEEL	2 N/cm
	SHEAR	30 N/cm²
	TENSION	10 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +60°C

ADHESIVE SUBSTRATE COMPATIBILITY		
Aluminium Adonized	✓	
Glass	✓	
Painted Wallboard	✓	
Plywood	✓	
Polyester	✓	
Polyethylene	✓	
Polypropylene	✓	
Stainless Steel	✓	
Vinyl	✗	
Formica (Polished Side)	✓	
Cardboard	✓	
Polyacrylic	✓	
Fabrics	✓	

✓ Recommended    ✓ Good    ✗ Not Recommended



\* Weight resistance of 50mm x 100mm of closure.

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20020	8412355200202	5 meters of Hook Tape 5 meters of Loop Tape	20mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20019	8412355200196	5 meters of Hook Tape 5 meters of Loop Tape	20mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20018	8412355200189	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20017	8412355200172	5 meters of Hook Tape 5 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20016	8412355200165	25 meters of Hook Tape 25 meters of Loop Tape	20mm	■	✓	7	Stick, staple, nail, screw
VEL-PS20015	8412355200158	25 meters of Hook Tape 25 meters of Loop Tape	20mm	□	✓	7	Stick, staple, nail, screw
VEL-PS20014	8412355200141	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	4	Stick, staple, nail, screw
VEL-PS20013	8412355200134	25 meters of Hook Tape 25 meters of Loop Tape	50mm	□	✓	4	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C  
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours





# UNIVERSAL FLOORING FASTENER

VELCRO® Brand Extruded Plastic Hook. Low profile. Compatible with most of the flexible floors with receptive backing (Carpet, PVC...). Adhesive adequate for a wide range of substrates (PVC-Vinyl, aluminum, stainless steel, concrete, glass, plywood, polyester). High adhesive temperature range, low tack. Residual free.



CLOSURE INFORMATION	
	MATERIAL: Polypropylene
	ADHESIVE OPERATING TEMPERATURE: -40°C to +140°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✗
Polypropylene	✗
Stainless Steel	✓
Vinyl	✓
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended
✓ Good
✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20021	8412355200219	25 meters of Hook Tape	45mm	■	✓	7	Stick
VEL-PS20027	8412355200271	25 meters of Hook Tape	107mm	■	✓	4	Stick



ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C  
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours



# ALFA-LOK® FASTENER

The VELCRO® Brand ALFA-LOK® Fastener is a strong, self-engaging and multidirectional tape easy to use. The quadrilobal mushroom tape ensures a firm and reliable connection. It can be engaged at any position by pressing the two parts together firmly. VELCRO® Brand ALFA-LOK® Fastener has been developed for use in a wide range of applications from solar panels, signage and exhibition stands to fixing the interior in trains, cars or buses.

CLOSURE INFORMATION		
	MATERIAL	Polyester Polypropylene
	PEEL	2 N/cm
	SHEAR	50 N/cm²
	TENSION	40 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-40°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✓
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended    ✓ Good    ✗ Not Recommended



REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20023	8412355200233	1 meter of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20022	8412355200226	3 meters of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw



ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C  
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours

STRAP

# ONE-WRAP® Strap

VELCRO® Brand ONE-WRAP® Strap has proved its value as easy, re-usable, safe and adjustable bundling solution that is gentle on fragile wires. Recognising a need in fibre optic networks, Velcro Companies has designed a wide range of colours to assist in colour coding.

CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Medium
	PEEL	1.8 N/cm
	SHEAR	32 N/cm²

SIZE	STRAP SHAPE
13x200mm	
20x150mm	
20x200mm	
20x230mm	
20x330mm	
25x300mm	



STRAP • 25 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64300	8412355643009	13mm x 200mm 25 Units	13mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64301	8412355643016			Black (330)		
VEL-OW64302	8412355643023			Black (330 F.R.T.)		
VEL-OW64303	8412355643030			Royal Blue (131)		
VEL-OW64304	8412355643047			Yellow (750)		
VEL-OW64305	8412355643054			Red (530)		
VEL-OW64306	8412355643061			Green (650)		
VEL-OW64307	8412355643078			Purple (557)		
VEL-OW64309	8412355643092			Pink (895)		
VEL-OW64310	8412355643108			Acqua (893)		
VEL-OW64311	8412355643115	Orange (700)				
VEL-OW64400	8412355644006	20mm x 150mm 25 Units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64401	8412355644013			Black (330)		
VEL-OW64402	8412355644020			Black (330 F.R.T.)		
VEL-OW64403	8412355644037			Royal Blue (131)		
VEL-OW64404	8412355644044			Yellow (750)		
VEL-OW64405	8412355644051			Red (530)		
VEL-OW64406	8412355644068			Green (650)		
VEL-OW64407	8412355644075			Purple (557)		
VEL-OW64409	8412355644099			Pink (895)		
VEL-OW64410	8412355644105			Acqua (893)		
VEL-OW64411	8412355644112	Orange (700)				




## STRAP • 25 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64500	8412355645003	20mm x 200mm 25 Units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64501	8412355645010			Black (330)		
VEL-OW64502	8412355645027			Black (330 F.R.T.)		
VEL-OW64503	8412355645034			Royal Blue (131)		
VEL-OW64504	8412355645041			Yellow (750)		
VEL-OW64505	8412355645058			Red (530)		
VEL-OW64506	8412355645065			Green (650)		
VEL-OW64507	8412355645072			Purple (557)		
VEL-OW64509	8412355645096			Pink (895)		
VEL-OW64510	8412355645102			Acqua (893)		
VEL-OW64511	8412355645119			Orange (700)		
VEL-OW64600	8412355646000	20mm x 230mm 25 Units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64601	8412355646017			Black (330)		
VEL-OW64602	8412355646024			Black (330 F.R.T.)		
VEL-OW64603	8412355646031			Royal Blue (131)		
VEL-OW64604	8412355646048			Yellow (750)		
VEL-OW64605	8412355646055			Red (530)		
VEL-OW64606	8412355646062			Green (650)		
VEL-OW64607	8412355646079			Purple (557)		
VEL-OW64609	8412355646093			Pink (895)		
VEL-OW64610	8412355646109			Acqua (893)		
VEL-OW64611	8412355646116			Orange (700)		
VEL-OW64700	8412355647007	20mm x 330mm 25 Units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64701	8412355647014			Black (330)		
VEL-OW64702	8412355647021			Black (330 F.R.T.)		
VEL-OW64703	8412355647038			Royal Blue (131)		
VEL-OW64704	8412355647045			Yellow (750)		
VEL-OW64705	8412355647052			Red (530)		
VEL-OW64706	8412355647069			Green (650)		
VEL-OW64707	8412355647076			Purple (557)		
VEL-OW64709	8412355647090			Pink (895)		
VEL-OW64710	8412355647106			Acqua (893)		
VEL-OW64711	8412355647113			Orange (700)		
VEL-OW64800	8412355648004	25mm x 300mm 25 Units	25mm	White (010)	84	Bundle, wrap, fasten
VEL-OW64801	8412355648011			Black (330)		
VEL-OW64802	8412355648028			Black (330 F.R.T.)		
VEL-OW64803	8412355648035			Royal Blue (131)		
VEL-OW64804	8412355648042			Yellow (750)		
VEL-OW64805	8412355648059			Red (530)		
VEL-OW64806	8412355648066			Green (650)		
VEL-OW64807	8412355648073			Purple (557)		
VEL-OW64809	8412355648097			Pink (895)		
VEL-OW64810	8412355648103			Acqua (893)		
VEL-OW64811	8412355648110			Orange (700)		

## STRAP • 100 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64326	8412355643269	13mm x 200mm 100 Units	13mm	White (010)	64	Bundle, wrap, fasten
VEL-OW64327	8412355643276			Black (330)		
VEL-OW64328	8412355643283			Black (330 F.R.T.)		
VEL-OW64329	8412355643290			Royal Blue (131)		
VEL-OW64330	8412355643306			Yellow (750)		
VEL-OW64331	8412355643313			Red (530)		
VEL-OW64332	8412355643320			Green (650)		
VEL-OW64333	8412355643337			Purple (557)		
VEL-OW64335	8412355643351			Pink (895)		
VEL-OW64336	8412355643368			Acqua (893)		
VEL-OW64337	8412355643375			Orange (700)		
VEL-OW64426	8412355644266	20mm x 150mm 100 Units	20mm	White (010)	72	Bundle, wrap, fasten
VEL-OW64427	8412355644273			Black (330)		
VEL-OW64428	8412355644280			Black (330 F.R.T.)		
VEL-OW64429	8412355644297			Royal Blue (131)		
VEL-OW64430	8412355644303			Yellow (750)		
VEL-OW64431	8412355644310			Red (530)		
VEL-OW64432	8412355644327			Green (650)		
VEL-OW64433	8412355644334			Purple (557)		
VEL-OW64435	8412355644358			Pink (895)		
VEL-OW64436	8412355644365			Acqua (893)		
VEL-OW64437	8412355644372			Orange (700)		
VEL-OW64526	8412355645263	20mm x 200mm 100 Units	20mm	White (010)	64	Bundle, wrap, fasten
VEL-OW64527	8412355645270			Black (330)		
VEL-OW64528	8412355645287			Black (330 F.R.T.)		
VEL-OW64529	8412355645294			Royal Blue (131)		
VEL-OW64530	8412355645300			Yellow (750)		
VEL-OW64531	8412355645317			Red (530)		
VEL-OW64532	8412355645324			Green (650)		
VEL-OW64533	8412355645331			Purple (557)		
VEL-OW64535	8412355645355			Pink (895)		
VEL-OW64536	8412355645362			Acqua (893)		
VEL-OW64537	8412355645379			Orange (700)		
VEL-OW64626	8412355646260	20mm x 230mm 100 Units	20mm	White (010)	64	Bundle, wrap, fasten
VEL-OW64627	8412355646277			Black (330)		
VEL-OW64628	8412355646284			Black (330 F.R.T.)		
VEL-OW64629	8412355646291			Royal Blue (131)		
VEL-OW64630	8412355646307			Yellow (750)		
VEL-OW64631	8412355646314			Red (530)		
VEL-OW64632	8412355646321			Green (650)		
VEL-OW64633	8412355646338			Purple (557)		
VEL-OW64635	8412355646352			Pink (895)		
VEL-OW64636	8412355646369			Acqua (893)		
VEL-OW64637	8412355646376			Orange (700)		
VEL-OW64726	8412355647267	20mm x 330mm 100 Units	20mm	White (010)	19	Bundle, wrap, fasten
VEL-OW64727	8412355647274			Black (330)		
VEL-OW64728	8412355647281			Black (330 F.R.T.)		
VEL-OW64729	8412355647298			Royal Blue (131)		
VEL-OW64730	8412355647304			Yellow (750)		
VEL-OW64731	8412355647311			Red (530)		
VEL-OW64732	8412355647328			Green (650)		
VEL-OW64733	8412355647335			Purple (557)		
VEL-OW64735	8412355647359			Pink (895)		
VEL-OW64736	8412355647366			Acqua (893)		
VEL-OW64737	8412355647373			Orange (700)		
VEL-OW64826	8412355648264	25mm x 300mm 100 Units	25mm	White (010)	13	Bundle, wrap, fasten
VEL-OW64827	8412355648271			Black (330)		
VEL-OW64828	8412355648288			Black (330 F.R.T.)		
VEL-OW64829	8412355648295			Royal Blue (131)		
VEL-OW64830	8412355648301			Yellow (750)		
VEL-OW64831	8412355648318			Red (530)		
VEL-OW64832	8412355648325			Green (650)		
VEL-OW64833	8412355648332			Purple (557)		
VEL-OW64835	8412355648356			Pink (895)		
VEL-OW64836	8412355648363			Acqua (893)		
VEL-OW64837	8412355648370			Orange (700)		



## STRAP • 250 UNITS SPOOL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-0W64339	8412355643399	13mm x 200mm 250 Units	13mm	White (010)	3	Bundle, wrap, fasten
VEL-0W64340	8412355643405			Black (330)		
VEL-0W64341	8412355643412			Black (330 F.R.T.)		
VEL-0W64342	8412355643429			Royal Blue (131)		
VEL-0W64343	8412355643436			Yellow (750)		
VEL-0W64344	8412355643443			Red (530)		
VEL-0W64345	8412355643450			Green (650)		
VEL-0W64346	8412355643467			Purple (557)		
VEL-0W64348	8412355643481			Pink (895)		
VEL-0W64349	8412355643498			Acqua (893)		
VEL-0W64350	8412355643504	Orange (700)				
VEL-0W64439	8412355644396	20mm x 150mm 250 Units	20mm	White (010)	3	Bundle, wrap, fasten
VEL-0W64440	8412355644402			Black (330)		
VEL-0W64441	8412355644419			Black (330 F.R.T.)		
VEL-0W64442	8412355644426			Royal Blue (131)		
VEL-0W64443	8412355644433			Yellow (750)		
VEL-0W64444	8412355644440			Red (530)		
VEL-0W64445	8412355644457			Green (650)		
VEL-0W64446	8412355644464			Purple (557)		
VEL-0W64448	8412355644488			Pink (895)		
VEL-0W64449	8412355644495			Acqua (893)		
VEL-0W64450	8412355644501	Orange (700)				
VEL-0W64539	8412355645393	20mm x 200mm 250 Units	20mm	White (010)	3	Bundle, wrap, fasten
VEL-0W64540	8412355645409			Black (330)		
VEL-0W64541	8412355645416			Black (330 F.R.T.)		
VEL-0W64542	8412355645423			Royal Blue (131)		
VEL-0W64543	8412355645430			Yellow (750)		
VEL-0W64544	8412355645447			Red (530)		
VEL-0W64545	8412355645454			Green (650)		
VEL-0W64546	8412355645461			Purple (557)		
VEL-0W64548	8412355645485			Pink (895)		
VEL-0W64549	8412355645492			Acqua (893)		
VEL-0W64550	8412355645508	Orange (700)				
VEL-0W64639	8412355646390	20mm x 230mm 250 Units	20mm	White (010)	3	Bundle, wrap, fasten
VEL-0W64640	8412355646406			Black (330)		
VEL-0W64641	8412355646413			Black (330 F.R.T.)		
VEL-0W64642	8412355646420			Royal Blue (131)		
VEL-0W64643	8412355646437			Yellow (750)		
VEL-0W64644	8412355646444			Red (530)		
VEL-0W64645	8412355646451			Green (650)		
VEL-0W64646	8412355646468			Purple (557)		
VEL-0W64648	8412355646482			Pink (895)		
VEL-0W64649	8412355646499			Acqua (893)		
VEL-0W64650	8412355646505	Orange (700)				
VEL-0W64739	8412355647397	20mm x 330mm 250 Units	20mm	White (010)	3	Bundle, wrap, fasten
VEL-0W64740	8412355647403			Black (330)		
VEL-0W64741	8412355647410			Black (330 F.R.T.)		
VEL-0W64742	8412355647427			Royal Blue (131)		
VEL-0W64743	8412355647434			Yellow (750)		
VEL-0W64744	8412355647441			Red (530)		
VEL-0W64745	8412355647458			Green (650)		
VEL-0W64746	8412355647465			Purple (557)		
VEL-0W64748	8412355647489			Pink (895)		
VEL-0W64749	8412355647496			Acqua (893)		
VEL-0W64750	8412355647502	Orange (700)				
VEL-0W64839	8412355648394	25mm x 300mm 250 Units	25mm	White (010)	3	Bundle, wrap, fasten
VEL-0W64840	8412355648400			Black (330)		
VEL-0W64841	8412355648417			Black (330 F.R.T.)		
VEL-0W64842	8412355648424			Royal Blue (131)		
VEL-0W64843	8412355648431			Yellow (750)		
VEL-0W64844	8412355648448			Red (530)		
VEL-0W64845	8412355648455			Green (650)		
VEL-0W64846	8412355648462			Purple (557)		
VEL-0W64848	8412355648486			Pink (895)		
VEL-0W64849	8412355648493			Acqua (893)		
VEL-0W64850	8412355648509	Orange (700)				

## STRAP • 750 UNITS SPOOL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-0W64365	8412355643658	13mm x 200mm 750 Units	13mm	White (010)	1	Bundle, wrap, fasten
VEL-0W64366	8412355643665			Black (330)		
VEL-0W64367	8412355643672			Black (330 F.R.T.)		
VEL-0W64368	8412355643689			Royal Blue (131)		
VEL-0W64369	8412355643696			Yellow (750)		
VEL-0W64370	8412355643702			Red (530)		
VEL-0W64371	8412355643719			Green (650)		
VEL-0W64372	8412355643726			Purple (557)		
VEL-0W64374	8412355643740			Pink (895)		
VEL-0W64375	8412355643757			Acqua (893)		
VEL-0W64376	8412355643764	Orange (700)				
VEL-0W64465	8412355644655	20mm x 150mm 750 Units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-0W64466	8412355644662			Black (330)		
VEL-0W64467	8412355644679			Black (330 F.R.T.)		
VEL-0W64468	8412355644686			Royal Blue (131)		
VEL-0W64469	8412355644693			Yellow (750)		
VEL-0W64470	8412355644709			Red (530)		
VEL-0W64471	8412355644716			Green (650)		
VEL-0W64472	8412355644723			Purple (557)		
VEL-0W64474	8412355644747			Pink (895)		
VEL-0W64475	8412355644754			Acqua (893)		
VEL-0W64476	8412355644761	Orange (700)				
VEL-0W64565	8412355645652	20mm x 200mm 750 Units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-0W64566	8412355645669			Black (330)		
VEL-0W64567	8412355645676			Black (330 F.R.T.)		
VEL-0W64568	8412355645683			Royal Blue (131)		
VEL-0W64569	8412355645690			Yellow (750)		
VEL-0W64570	8412355645706			Red (530)		
VEL-0W64571	8412355645713			Green (650)		
VEL-0W64572	8412355645720			Purple (557)		
VEL-0W64574	8412355645744			Pink (895)		
VEL-0W64575	8412355645751			Acqua (893)		
VEL-0W64576	8412355645768	Orange (700)				
VEL-0W64665	8412355646659	20mm x 230mm 750 Units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-0W64666	8412355646666			Black (330)		
VEL-0W64667	8412355646673			Black (330 F.R.T.)		
VEL-0W64668	8412355646680			Royal Blue (131)		
VEL-0W64669	8412355646697			Yellow (750)		
VEL-0W64670	8412355646703			Red (530)		
VEL-0W64671	8412355646710			Green (650)		
VEL-0W64672	8412355646727			Purple (557)		
VEL-0W64674	8412355646741			Pink (895)		
VEL-0W64675	8412355646758			Acqua (893)		
VEL-0W64676	8412355646765	Orange (700)				
VEL-0W64765	8412355647656	20mm x 330mm 750 Units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-0W64766	8412355647663			Black (330)		
VEL-0W64767	8412355647670			Black (330 F.R.T.)		
VEL-0W64768	8412355647687			Royal Blue (131)		
VEL-0W64769	8412355647694			Yellow (750)		
VEL-0W64770	8412355647700			Red (530)		
VEL-0W64771	8412355647717			Green (650)		
VEL-0W64772	8412355647724			Purple (557)		
VEL-0W64774	8412355647748			Pink (895)		
VEL-0W64775	8412355647755			Acqua (893)		
VEL-0W64776	8412355647762	Orange (700)				
VEL-0W64865	8412355648653	25mm x 300mm 750 Units	25mm	White (010)	1	Bundle, wrap, fasten
VEL-0W64866	8412355648660			Black (330)		
VEL-0W64867	8412355648677			Black (330 F.R.T.)		
VEL-0W64868	8412355648684			Royal Blue (131)		
VEL-0W64869	8412355648691			Yellow (750)		
VEL-0W64870	8412355648707			Red (530)		
VEL-0W64871	8412355648714			Green (650)		
VEL-0W64872	8412355648721			Purple (557)		
VEL-0W64874	8412355648745			Pink (895)		
VEL-0W64875	8412355648752			Acqua (893)		
VEL-0W64876	8412355648769	Orange (700)				

TAPE  
**ONE-WRAP® Tape**

VELCRO® Brand ONE-WRAP® Tape has proved its value as easy, re-usable, safe and adjustable bundling solution that is gentle on fragile wires. Recognising a need in fibre optic networks, Velcro Companies has designed a wide range of colours to assist in colour coding.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Medium
	PEEL	1.8 N/cm
	SHEAR	32 N/cm²



TAPE • 25M ROLL						
REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64100	8412355641005	25m of ONE-WRAP® Tape	10mm	White (010)	19	Bundle, wrap, fasten
VEL-OW64101	8412355641012			Black (330)		
VEL-OW64102	8412355641029			Black (330 F.R.T.)		
VEL-OW64103	8412355641036			Royal Blue (131)		
VEL-OW64104	8412355641043			Yellow (750)		
VEL-OW64105	8412355641050			Red (530)		
VEL-OW64106	8412355641067			Green (650)		
VEL-OW64107	8412355641074			Purple (557)		
VEL-OW64109	8412355641098			Pink (895)		
VEL-OW64110	8412355641104			Acqua (893)		
VEL-OW64111	8412355641111	Orange (700)	19	Bundle, wrap, fasten		
VEL-OW64113	8412355641135	White (010)				
VEL-OW64114	8412355641142	Black (330)				
VEL-OW64115	8412355641159	Black (330 F.R.T.)				
VEL-OW64116	8412355641166	Royal Blue (131)				
VEL-OW64117	8412355641173	Yellow (750)				
VEL-OW64118	8412355641180	Red (530)				
VEL-OW64119	8412355641197	Green (650)				
VEL-OW64120	8412355641203	Purple (557)				
VEL-OW64122	8412355641227	Pink (895)				
VEL-OW64123	8412355641234	Acqua (893)	19	Bundle, wrap, fasten		
VEL-OW64124	8412355641241	Orange (700)				

TAPE • 25M ROLL						
REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64126	8412355641265	25m of ONE-WRAP® Tape	16mm	White (010)	19	Bundle, wrap, fasten
VEL-OW64127	8412355641272			Black (330)		
VEL-OW64128	8412355641289			Black (330 F.R.T.)		
VEL-OW64129	8412355641296			Royal Blue (131)		
VEL-OW64130	8412355641302			Yellow (750)		
VEL-OW64131	8412355641319			Red (530)		
VEL-OW64132	8412355641326			Green (650)		
VEL-OW64133	8412355641333			Purple (557)		
VEL-OW64135	8412355641357			Pink (895)		
VEL-OW64136	8412355641364			Acqua (893)		
VEL-OW64137	8412355641371	Orange (700)	25m of ONE-WRAP® Tape	20mm	19	Bundle, wrap, fasten
VEL-OW64139	8412355641395	White (010)				
VEL-OW64140	8412355641401	Black (330)				
VEL-OW64141	8412355641418	Black (330 F.R.T.)				
VEL-OW64142	8412355641425	Royal Blue (131)				
VEL-OW64143	8412355641432	Yellow (750)				
VEL-OW64144	8412355641449	Red (530)				
VEL-OW64145	8412355641456	Green (650)				
VEL-OW64146	8412355641463	Purple (557)				
VEL-OW64148	8412355641487	Pink (895)				
VEL-OW64149	8412355641494	Acqua (893)	25m of ONE-WRAP® Tape	25mm	13	Bundle, wrap, fasten
VEL-OW64150	8412355641500	Orange (700)				
VEL-OW64152	8412355641524	White (010)				
VEL-OW64153	8412355641531	Black (330)				
VEL-OW64154	8412355641548	Black (330 F.R.T.)				
VEL-OW64155	8412355641555	Royal Blue (131)				
VEL-OW64156	8412355641562	Yellow (750)				
VEL-OW64157	8412355641579	Red (530)				
VEL-OW64158	8412355641586	Green (650)				
VEL-OW64159	8412355641593	Purple (557)				
VEL-OW64161	8412355641616	Pink (895)	25m of ONE-WRAP® Tape	30mm	13	Bundle, wrap, fasten
VEL-OW64162	8412355641623	Acqua (893)				
VEL-OW64163	8412355641630	Orange (700)				
VEL-OW64165	8412355641654	White (010)				
VEL-OW64166	8412355641661	Black (330)				
VEL-OW64167	8412355641678	Black (330 F.R.T.)				
VEL-OW64168	8412355641685	Royal Blue (131)				
VEL-OW64169	8412355641692	Yellow (750)				
VEL-OW64170	8412355641708	Red (530)				
VEL-OW64171	8412355641715	Green (650)				
VEL-OW64172	8412355641722	Purple (557)	25m of ONE-WRAP® Tape	50mm	8	Bundle, wrap, fasten
VEL-OW64174	8412355641746	Pink (895)				
VEL-OW64175	8412355641753	Acqua (893)				
VEL-OW64176	8412355641760	Orange (700)				
VEL-OW64178	8412355641784	White (010)				
VEL-OW64179	8412355641791	Black (330)				
VEL-OW64180	8412355641807	Black (330 F.R.T.)				
VEL-OW64181	8412355641814	Royal Blue (131)				
VEL-OW64182	8412355641821	Yellow (750)				
VEL-OW64183	8412355641838	Red (530)				
VEL-OW64184	8412355641845	Green (650)				
VEL-OW64185	8412355641852	Purple (557)				
VEL-OW64187	8412355641876	Pink (895)				
VEL-OW64188	8412355641883	Acqua (893)				
VEL-OW64189	8412355641890	Orange (700)				



# LogiStrap® Strap

VELCRO® Brand LogiStrap® Strap is a reusable Strap that can easily be opened and closed which will reduce the time people will use to secure a load and eliminate time required in movement to, and maintenance of, alternative equipment. No tools are required. LogiStrap® Strap is very soft which avoids the scratching of surfaces.

CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	High
	PEEL	1.75 N/cm
	SHEAR	9.5 N/cm²



REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20024	8412355200240	50mm x 4m strap 2 units	50mm	Yellow	×	5	Fastening and holding of goods in pallets and other handling of materials as sleeve packs or folding large containers
VEL-PS20025	8412355200257	50mm x 6m strap 2 units	50mm	Green	×	5	Fastening and holding of goods in pallets and other handling of materials as sleeve packs or folding large containers



Product tested by:  
 - ITENE (Packaging, Transport & Logistics research center), Spain  
 - KaHo Sint-Lieven University, Belgium





# GREEN TIE

Our VELCRO® Brand GREEN TIE provides support for your most delicate plants, as well as the rebels that have a bit of trouble staying upright on their own. Our clever hook and loop system means you can easily re-wrap the tie as your plants bloom.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Low
	PEEL	-
	SHEAR	Min. 7 N/cm <sup>2</sup>

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20026	8412355200264	5 meters of Self-engaging Tape	12mm			144	Bundle, wrap, fasten



# ADDITIONAL INFORMATION: SALES PROMOTION TOOLS

TRY THE  
PRODUCT CARDS &  
DESK DISPLAY



STAND UP  
DISPLAYS



# ADDITIONAL INFORMATION: PRODUCT RANGE OVERVIEW



PROFESSIONAL SERIES

## PERFORMANCE

<p>CLOSURE AND ADHESIVE STRENGTHS</p>	HIGH			
	MEDIUM			
	LOW			
		LOW	MEDIUM	HIGH
<p>NUMBER OF CYCLES</p>				

## USES

FLOOR FIXATION		MATERIALS HANDLING	
CABLE MANAGEMENT		AGRICULTURE & GARDENING	

Velcro Companies is a technology-driven, global organization providing fastening solutions that solve problems in simple, elegant and surprising ways for businesses and consumers around the world. We have a heritage of innovation spanning more than 50 years and own over 400 active patents and numerous trademarks, including the VELCRO® trademark, which is registered throughout the world. We develop and deliver solutions for customers through an integrated production and service system that includes manufacturing locations in the United States, Canada, Mexico, Uruguay, Spain, Belgium, China and Vietnam and sales offices around the world.


To buy genuine VELCRO® Brand products and to find out more about our company, visit [Velcro.com](http://Velcro.com)

**Global Footprint**

**Quality Standards**

**Innovation**

**Living Brand**

**Infinite Applications**

**Hidden Hero**

**GLOBAL OFFICES**
**Global Corporate Headquarters**

VIL Ltd.  
 2 Kingdom Street, 6th Floor  
 Paddington, London, W2 6JP  
 United Kingdom  
[Velcro.com](http://Velcro.com)

**Global Services Office**

Velcro Group Corporation  
 265 Franklin Street – 19th Floor  
 Boston – MA 02110  
 USA  
 Tel: (+1) 617 946 5501  
[Velcro.com](http://Velcro.com)

**Global Consumer Office**

VIL Ltd.  
 Ground Floor, Booths Park 3,  
 Chelford Road  
 Knutsford, WA16 8GS  
 United Kingdom  
 Tel: (+44) 1270 310 191  
[Velcro.com](http://Velcro.com)

**NAM**
**USA**

Velcro USA Inc.  
 Tel: (+1) 800 225 0180  
[marketing@velcro.com](mailto:marketing@velcro.com)  
[Velcro.com](http://Velcro.com)

**Canada**

Velcro Canada Inc.  
 Tel: (+1) 800 683 5276  
[canada@velcro.com](mailto:canada@velcro.com)  
[Velcro.com](http://Velcro.com)

**LATAM**
**Mexico**

Velcro de México, S.A. de C.V.  
 Tlalpan de la Baz,  
 Edo. de México  
 Tel: (+52) 55 5005 3300  
[infovdmex@velcro.com](mailto:infovdmex@velcro.com)  
[Velcrodemexico.com](http://Velcrodemexico.com)  
 León, Gto  
 Tel: (+52) 477 980 0628  
[infovdmex@velcro.com](mailto:infovdmex@velcro.com)  
[Velcrodemexico.com](http://Velcrodemexico.com)

**Brazil**

Velcro Brasil Ltda.  
 Campo Bom, RS  
 Tel: (+55) 51 3599 1483  
[infovbra@velcro.com](mailto:infovbra@velcro.com)  
[Velcro.com.br](http://Velcro.com.br)

Sumaré, SP  
 Tel: (+55) 11 3197 2576  
[infovbra@velcro.com](mailto:infovbra@velcro.com)  
[Velcro.com.br](http://Velcro.com.br)

**Uruguay**

Velcro Industrial  
 del Uruguay S.A.  
 Tel: (+598) 2288 0008  
[infovurg@velcro.com](mailto:infovurg@velcro.com)  
[Velcro.com](http://Velcro.com)

**EMEA**
**Spain**

Velcro Europe S.A.  
 Tel: (+34) 93 758 32 98  
[infovesa@velcro.com](mailto:infovesa@velcro.com)  
[Velcro.es](http://Velcro.es)

**Germany**

Velcro GmbH  
 Freiberg am Neckar  
 Tel: (+49) 7141 991 19-0  
[infovgmbh@velcro.com](mailto:infovgmbh@velcro.com)  
[Velcro.de](http://Velcro.de)

Gronau  
 Tel: (+49) 2562 96 45-0  
[infovgmbh@velcro.com](mailto:infovgmbh@velcro.com)  
[Velcro.de](http://Velcro.de)

**France**

Velcro Industries France S.A.S.  
 Tel: (+33) 1 34 38 78 88  
[infovit@velcro.com](mailto:infovit@velcro.com)  
[Velcro.fr](http://Velcro.fr)

**Belgium**

Alfatex N.V.  
 Tel: (+32) 9 386 12 18  
[infofobe@velcro.com](mailto:infofobe@velcro.com)  
[Velcro.be](http://Velcro.be)

**Italy**

Velcro Italia, S.R.L.  
 Tel: (+39) 039 62 70 01  
[infoveit@velcro.com](mailto:infoveit@velcro.com)  
[Velcro.it](http://Velcro.it)

**UK**

Velcro Ltd.  
 Tel: (+44) 1606 738 806  
[infovlt@velcro.com](mailto:infovlt@velcro.com)  
[Velcro.co.uk](http://Velcro.co.uk)

**Poland**

Alfatex Sp. z o.o.  
 Tel: (+48) 71 798 57 89  
[infofpl@velcro.com](mailto:infofpl@velcro.com)  
[Velcro.pl](http://Velcro.pl)

**APAC**
**Australia**

Velcro Australia Pty. Ltd.  
 Tel: (+61) 3 9703 2466  
[infovaus@velcro.com](mailto:infovaus@velcro.com)  
[Velcro.com.au](http://Velcro.com.au)

**China**

Velcro China Fastening  
 Systems Company Limited  
 Tel: (+86) 21 6045 2090  
 (Shanghai Sales Office)  
[infovch@velcro.com](mailto:infovch@velcro.com)  
[Velcro.com.cn](http://Velcro.com.cn)

**Hong Kong**

Velcro Hong Kong Ltd.  
 Tel: (+852) 2570 3698  
[infovhk@velcro.com](mailto:infovhk@velcro.com)  
[Velcro.com.hk](http://Velcro.com.hk)

**Vietnam**

Velcro Vietnam Company Limited  
 Tel: (+84) 274 2222 497  
[infovvn@velcro.com](mailto:infovvn@velcro.com)  
[Velcro.vn](http://Velcro.vn)