

MAX® International Faceplates

The MAX series modular faceplates combine high capacity with aesthetic enhancements that provide a fresh new look to match today's technologies. The faceplate offers pressure-release designation label covers which eliminate the need for a probe-pic or screwdriver when installing faceplate labels. The faceplates are designed to be used with Z-MAX®, TERA®, and both angled and flat MAX outlets. Its durable finish masks minor scuffs that may occur during daily usage.

Labels — Sheets of designation labels can be ordered for use with printers

Variety — A variety of faceplates and adapters are available



Application Flexibility — Complete multimedia support

Multiple Colour Options — Faceplates available in black, white, bright white, alpine white, ivory, light ivory



Installation Flexibility
Flexible mounting tab on MAX outlets allows installation from front or rear of faceplate.



Reduced Mounting Depth
Siemon's angled faceplate adapters provides a secure mounting solution for use in trunking systems, faceplates and floor boxes while reducing depth needs.



Labelling
Most faceplates include pressure-release designation label covers for quick, tool-less removal.

10G MAX® Horizontal Faceplates (International)

Siemon's 10G single gang horizontal faceplate for Z-MAX®, TERA® or MAX outlets, (Australian/ Italian)

10GMX-HFPZ-(XX)-(XX)

Ports	Colour
02 = 2 Port	01 = Black
03 = 3 Port	02 = White
04 = 4 Port	



Ⓢ Add "B" to end of part number for bulk project pack of 100 faceplates.

10G MAX British Faceplates

Siemon's 10G MAX British faceplates are designed to provide the optimal outlet separation necessary to reduce alien crosstalk (ANEXT) between Z-MAX 6A UTP modules. They are also ideal for use with Siemon's shielded Z-MAX 6A modules. MAX British faceplates are compatible with British standards (85mm x 85mm).

10GMX-BFP-02-XX)
2-Port single gang 10G faceplate
for Z-MAX, MAX or TERA outlets,



10GMX-BFP-04-XX)
4-Port single gang 10G faceplate
for Z-MAX, MAX or TERA outlets



Use (XX) to specify color 02 = white, 25 = Bright White

Faceplates include designation labels, clear label covers, and M3.5x0.6x25 mounting screws.

ⓑ Add "B" to end of part number for bulk project pack of 100 faceplates.

MAX British Faceplates

MAX British faceplates are compatible with British standards (85mm x 85mm). The faceplate is designed to accept up to six Z-MAX, MAX or TERA outlets.



MX-BFP-S-01-XX)
1-Port single gang faceplate
for a Z-MAX, MAX or TERA
outlet



MX-BFP-S-02-XX)
2-Port single gang faceplate
for Z-MAX, MAX or TERA
outlets



MX-BFP-S-03-XX)
3-Port single gang faceplate
for Z-MAX, MAX or TERA
outlets



MX-BFP-S-04-XX)
4-Port single gang faceplate
for Z-MAX, MAX or TERA
outlets



MX-BFP-S-06-XX)
6-Port single gang faceplate
for Z-MAX, MAX or TERA
outlets

Faceplates include designation labels, clear label cover(s), and M3.5x 0.6x25 mounting screws

Use (XX) to specify color: 01 = black, 02 = white, 20 = Ivory, 25 = British White, 80 = Light Ivory

MAX British Double Layer Faceplates

Designed for markets that use British mounting standards (85mm x 85mm), these faceplates offer improved aesthetics via snap-on mounting screw covers. Faceplates include designation labels, clear label covers, and M3.5 x 0.6x25 mounting screws.



MX-BFPL-01-XX)
1-Port single gang faceplate
for a Z-MAX, MAX or TERA
outlet



10GMX-BFPL-02-XX)
2-Port single gang 10G
faceplate for Z-MAX, MAX or
TERA outlets



MX-BFPL-02-XX)
2-Port single gang faceplate
for Z-MAX, MAX or TERA
outlets



MX-BFPL-03-XX)
3-Port single gang faceplate
for Z-MAX, MAX or TERA
outlets



MX-BFPL-04-XX)
4-Port single gang faceplate
for Z-MAX, MAX or TERA
outlets

Add "M" to end of part number for M4 x 0.7x25 mounting screws. Faceplates include designation label, clear label covers, and M3.5 x 0.6x25 mounting screws.

Use (XX) to specify color = 01 = black, 02 = white, 80 = Light Ivory, 82 = Alpine white

MAX® Horizontal Faceplates (International)

Siemon's single gang horizontal faceplate for Z-MAX®, TERA® or MAX outlets (Australian/ Italian)

MX-HFPZ-(XX)-(XX)

Ports	Colour
01 = 1 Port	01 = Black
02 = 2 Port	02 = White
03 = 3 Port	
04 = 4 Port	



Note: Screws, designation label and clear label cover included.

British 6C Flexyoke and Danish Faceplate



FY-MXZ-(XX).....
1-Port 37mm x 22mm (1.5 x 0.87 in.)
MAX British Flexyoke housing for a
MAX, Z-MAX or TERA outlet



MX-DFF-02-(XX).....
2-Port 71mm x 47mm (2.8 x 1.85 in.)
Danish faceplate for MAX outlets or
TERA outlets

Use (XX) to specify colour: 02 = White

Use (XX) to specify colour: 02 = White, 85 = Danish White

TERA-MAX Faceplate



T50-(XX)
2-Port 50mm x 50mm (2.3 x 2.3 in.)
faceplate for MAX, Z-MAX or TERA
outlets

Use (XX) to specify colour: 01 = Black, 02 = White, 80 = Light Ivory, 82 = Alpine White

Z-MAX® Icon Cards

All Cards include:

- Red and blue icons with voice and data symbols
- Supplemental/colour-matched icon with voice, data, and blank designation
- 1 white blank icon for field designation
- Fully recyclable material

Z-ICON-(XX)B Z-MAX Icon Card, bag of 100

Primary Colour				
01 = Black	03 = Red	05 = Yellow	07 = Green	20 = Ivory
02 = White	04 = Grey	06 = Blue	09 = Orange	80 = Light Ivory
				82 = Alpine White



10G MAX Australian/Italian Faceplates:

Siemon's 10G MAX International faceplates are designed to provide the optimal outlet separation necessary to reduce alien crosstalk (ANEXT) between Z-MAX 6A UTP modules. All versions include color-matching screw covers.



10GMX-HFP-02-(XX)
2-port single gang 10G horizontal
Australian/Italian faceplate for
MAX, Z-MAX or TERA outlets



10GMX-HFP-03-(XX)
3-port single gang 10G horizontal
Australian/Italian faceplate for MAX, Z-MAX
or TERA outlets



10GMX-HFP-04-(XX)
4-port single gang 10G horizontal
Australian/Italian faceplate for flat MAX, Z-
MAX or TERA outlets

Use (XX) to specify color: 01 = black, 02 = white, 20 = ivory, 80 = light ivory, 82 = Alpine White
Faceplates include designation labels, clear label cover (2- and 3-port versions), and M3.5 x 0.6 x 25 mounting screws
Add "B" to end of part number for bulk project pack of 100 faceplates

MAX Australian/Italian Faceplates:

Siemon provides mounting solutions to accommodate many international requirements. Horizontal faceplates include designation label(s), clear label covers, and color-matching screw covers.



MX-HFP-01-(XX)
1-port single gang horizontal
Australian/Italian faceplate for a MAX,
Z-MAX or TERA outlet



MX-HFP-02-(XX)
2-port single gang
horizontal Australian/Italian faceplate
for MAX, Z-MAX or TERA outlets



MX-HFP-03-(XX)
3-port single gang
horizontal Australian/Italian faceplate
for MAX, Z-MAX or TERA outlets



MX-HFP-04-(XX)
4-port single gang horizontal
Australian/Italian faceplate for MAX,
Z-MAX or TERA outlets

Use (XX) to specify color: 01 = black, 02 = white, 20 = ivory, 80 = light ivory, 82 = alpine white
Faceplates include designation labels, clear label cover, and M3.5 x 0.6 x 25 mounting screws

MAX® International Adapters:

These adapters allows one or two flat or angled MAX modules or TERA® outlets to be mounted into European faceplate openings.



MX-45-01-(XX)L
1-port 45mm x 45mm
adapter for a MAX, Z-MAX or TERA
outlet



MX-45-02-(XX)L
2-port 45mm X 45mm adapter for
MAX, Z-MAX or TERA outlets



MX-A-(XX)
2-port 50mm x 50mm adapter for
MAX modules or TERA outlets



MX-RFP-S-02-02.....
2-port adapter 50mm x 50mm, white for
MAX, Z-MAX or TERA outlets



MX-45-01-(XX)LBL
1-port 45mm x 45mm adapter with
label for a MAX, Z-MAX or TERA
outlet



MX-45-02-(XX)LBL
2-port 45mm x 45mm adapter with
label for a MAX, Z-MAX or TERA
outlet

Use (XX) to specify color: 02 = white, 25 = bright white, 82 = alpine white

T45-82L
1-port 45mm x 45mm angled
faceplate adapter, alpine white
for MAX, Z-MAX or TERA outlet



MX-JIS-(X)-(XX)-D
1-port Japanese faceplate adapter for a flat UTP
MAX module with door

Use (X) to specify print marking:
B = blank, L = LAN



Use (XX) to specify color: 02 = white, 70 = off-white

MX-CKN-25.....
1-port Clipsal adapter for use with
Clipsal and HPM faceplates that
accepts keystone MAX or Z-MAX
outlets. Bright White, pack of 10



MAX Outlet Blanks and Doors:

Blank inserts for unused ports and future growth and doors to protect outlets from outside contaminants.

MX-BL-(XX)
Blank module,
bag of 10



MX-FD-(XX)
Door assembly for
flat 6- or 8-position
MAX modules,
bag of 20



MX-AD-(XX)
Door assembly for
angled 6- or 8-position
MAX modules,
bag of 20



Use (XX) to specify color:

00 = clear (MX-AD-XX only), 01 = black, 02 = white, 04 = gray, 20 = ivory, 25 = bright white*, 80 = light ivory

*Angled doors not available in bright white. Recommend using clear or white if required.

MAX[®] and CT[®] Icons

Part #	Description
CT-ICON-(XX)	25 Coloured icon tabs (phone on one side, computer on reverse)



Use (XX) to specify colour: 01 = Black, 02 = White, 03 = Red, 04 = Grey, 05 = Yellow, 06 = Blue, 07 = Green, 08 = Violet, 09 = Orange, 20 = Ivory, 25 = Bright White, 60 = Brown, 80 = Light Ivory

ⓑ Add "B" for bulk pack of 100 icons or tabs.

MAX Labelling and Accessories

Part #	Description
CT-FP-LBL-104*	10 Sheets of labels for faceplates that will fit any standard 8.5 x 11 printer, 104 labels/sheet
MX-FP-CVR-00	Bag of 100 clear label covers for MAX faceplates

*Visit our web site or contact our Technical Support Department for labelling software.

ⓑ Add "B" for bulk pack of 100 icons or tabs.

Because we continuously improve our products, Siemon reserves the right to change specifications and availability without prior notice.

Worldwide Headquarters
North America
 Watertown, CT USA
 Phone (1) 860 945 4200

Regional Headquarters
Europe Russia Africa
 Chertsey, Surrey, England
 Phone (44) 0 1932 571771

Regional Headquarters
China
 Shanghai, P.R. China
 Phone (86) 215385 0303

Regional Headquarters
Latin America
 Bogota, Colombia
 Phone (571) 657 1950/51/52

Regional Headquarters
India Middle East
 Dubai, United Arab Emirates
 Phone (971) 4 3689743

Regional Headquarters
Asia Pacific
 Sydney, Australia
 Phone (61) 2 8977 7500

Siemon Interconnect Solutions
Watertown, CT USA
 Phone (1) 860 945 4213 US
www.siemon.com/SIS