


MAX® International Faceplates

The MAX series modular faceplates combine high capacity with aesthetic enhancements that provide a fresh new look to match today's technologies. The faceplate offers pressure-release designation label covers which eliminate the need for a probe-pic or screwdriver when installing faceplate labels. The faceplates are designed to be used hybrid Z-MAX®/UltraMAX®, TERA®, and both angled and flat MAX outlets. Its durable finish masks minor scuffs that may occur during daily usage.

Labels

Sheets of designation labels can be ordered for use with printers.



Variety

A variety of faceplates and adapters are available.

Application Flexibility

Complete multimedia support.

Multiple Colour Options

Faceplates available in black, white, bright white, alpine white, ivory, and light ivory.

10G MAX® Horizontal Faceplates (International)

Siemon's 10G single gang horizontal faceplate for hybrid Z-MAX/UltraMAX, TERA or MAX outlets, (Australian/Italian)

10GMX-HFPZ-(XX)-(XX)

Ports

02 = 2 Port
03 = 3 Port
04 = 4 Port

Colour

01 = Black
02 = White



Add "B" to end of part number for bulk project pack of 100 faceplates.




Installation Flexibility

Flexible mounting tab on MAX outlets allows installation from front or rear of faceplate.



Reduced Mounting Depth

Siemon's angled faceplate adapters provides a secure mounting solution for use in trunking systems, faceplates and floor boxes while reducing depth needs.



Labelling

Most faceplates include pressure-release designation label covers for quick, tool-less removal.

Ordering Information

10G MAX® British Faceplates

Siemon's 10G MAX British faceplates are designed to provide the optimal outlet separation necessary to reduce alien crosstalk (ANEXT) between category 6A UTP modules. They are also ideal for use with Siemon's shielded Z-MAX® 6A modules. MAX British faceplates are compatible with British standards (85mm x 85mm).

10GMX-BFP-02-(XX)
2-Port single gang 10G
faceplate for Z-MAX, MAX
or TERA® outlets



10GMX-BFP-04-(XX)
4-Port single gang 10G
faceplate for Z-MAX, MAX
or TERA outlets



Use (XX) to specify color 02 = white, 25 = Bright White

Faceplates include designation labels, clear label covers, and M3.5x0.6x25 mounting screws.

Add "B" to end of part number for bulk project pack of 100 faceplates.

MAX British Faceplates

MAX British faceplates are compatible with British standards (85mm x 85mm). The faceplate is designed to accept up to six hybrid Z-MAX/UltraMAX®, MAX or TERA outlets.



MX-BFP-S-01-(XX).....
1-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets



MX-BFP-S-02-(XX).....
2-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets



MX-BFP-S-03-(XX).....
3-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets



MX-BFP-S-04-(XX).....
4-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets



MX-BFP-S-06-(XX).....
6-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets

Faceplates include designation labels, clear label cover(s), and M3.5x 0.6x25 mounting screws.

Use (XX) to specify color: 01 = black, 02 = white, 20 = Ivory, 25 = British White, 80 = Light Ivory

MAX British Double Layer Faceplates

Designed for markets that use British mounting standards (85mm x 85mm), these faceplates offer improved aesthetics via snap-on mounting screw covers. Faceplates include designation labels, clear label covers, and M3.5 x 0.6x25 mounting screws.



MX-BFPL-01-(XX)
1-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets



10GMX-BFPL-02-(XX)....
2-Port single gang 10G
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets



MX-BFPL-02-(XX)
2-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets



MX-BFPL-03-(XX)
3-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets



MX-BFPL-04-(XX)
4-Port single gang
faceplate for hybrid
Z-MAX/UltraMAX,
MAX or TERA outlets

Add "M" to end of part number for M4 x 0.7x25 mounting screws. Faceplates include designation label, clear label covers, and M3.5 x 0.6x25 mounting screws.

Use (XX) to specify color = 01 = black, 02 = white, 80 = Light Ivory, 82 = Alpine white

Ordering Information

MAX® Horizontal Faceplates (International)

Siemon's single gang horizontal faceplate for hybrid Z-MAX®/UltraMAX®, TERA® or MAX outlets (Australian/Italian)



MX-HFPZ-(XX)-(XX)

Ports

- 01 = 1 Port
- 02 = 2 Port
- 03 = 3 Port
- 04 = 4 Port

Colour

- 01 = Black
- 02 = White

Note: Screws, designation label and clear label cover included.

British 6C Flexyoke and Danish Faceplate



FY-MXZ-(XX)
1-Port 37mm x 22mm
(1.5 x 0.87 in.) MAX British
Flexyoke housing for hybrid
Z-MAX/UltraMAX, MAX or
TERA outlet

Use (XX) to specify colour: 02 = White



MX-DFP-02-(XX)
2-Port 71mm x 47mm
(2.8 x 1.85 in.) Danish faceplate
for hybrid Z-MAX/UltraMAX, MAX
or TERA outlets

Use (XX) to specify colour: 02 = White, 85 = Danish White

TERA-MAX Faceplate



T50-(XX).....
2-Port 50mm x 50mm
(2.3 x 2.3 in.) faceplate for
MAX, hybrid Z-MAX/UltraMAX
or TERA outlets

Use (XX) to specify colour: 01 = Black, 02 = White, 80 = Light Ivory, 82 = Alpine White

Z-MAX Icon Cards

All Cards include:

- Red and blue icons with voice and data symbols
- Supplemental/colour-matched icon with voice, data, and blank designation
- 1 white blank icon for field designation
- Fully recyclable material

Z-ICON-(XX)B ----- Z-MAX Icon Card, bag of 100

Primary Colour

- | | | | |
|------------|-----------|-------------|-------------------|
| 01 = Black | 03 = Red | 05 = Yellow | 20 = Ivory |
| 02 = White | 04 = Grey | 06 = Blue | 80 = Light Ivory |
| | | | 82 = Alpine White |



Ordering Information

10G MAX® Australian/Italian Faceplates

Siemon's 10G MAX International faceplates are designed to provide the optimal outlet separation necessary to reduce alien crosstalk (ANEXT) between hybrid Z-MAX®/UltraMAX® 6A UTP modules. All versions include color-matching screw covers.



10GMX-HFP-02-(XX)
2-port single gang 10G horizontal
Australian/Italian faceplate for
MAX, hybrid Z-MAX/UltraMAX
or TERA® outlets



10GMX-HFP-03-(XX)
3-port single gang 10G horizontal
Australian/Italian faceplate for
MAX, hybrid Z-MAX/UltraMAX
or TERA outlets



10GMX-HFP-04-(XX)
4-port single gang 10G horizontal
Australian/Italian faceplate for flat
MAX, hybrid Z-MAX/UltraMAX
or TERA outlets

Use (XX) to specify color: 01 = black, 02 = white, 20 = ivory, 80 = light ivory, 82 = Alpine White

Faceplates include designation labels, clear label cover (2- and 3-port versions), and M3.5 x 0.6 x 25 mounting screws.

Add "B" to end of part number for bulk project pack of 100 faceplates

MAX Australian/Italian Faceplates

Siemon provides mounting solutions to accommodate many international requirements. Horizontal faceplates include designation label(s), clear label covers, and color-matching screw covers.



MX-HFP-01-(XX)
1-port single gang horizontal
Australian/Italian faceplate for
MAX, hybrid Z-MAX/UltraMAX
or TERA outlets



MX-HFP-02-(XX)
2-port single gang horizontal
Australian/Italian faceplate for
MAX, hybrid Z-MAX/UltraMAX
or TERA outlets



MX-HFP-03-(XX)
3-port single gang horizontal
Australian/Italian faceplate for
MAX, hybrid Z-MAX/UltraMAX
or TERA outlets



MX-HFP-04-(XX)
4-port single gang horizontal
Australian/Italian faceplate for
MAX, hybrid Z-MAX/UltraMAX
or TERA outlets

Use (XX) to specify color: 01 = black, 02 = white, 20 = ivory, 80 = light ivory, 82 = alpine white

Faceplates include designation labels, clear label cover, and M3.5 x 0.6 x 25 mounting screws.

Ordering Information

MAX® International Adapters

These adapters allows one or two flat or angled MAX modules or TERA® outlets to be mounted into European faceplate openings.

	<p>MX-45-01-(XX)L..... 1-port 45mm x 45mm adapter for a MAX, hybrid Z-MAX®/UltraMAX® or TERA outlets</p>		<p>MX-45-02-(XX)L..... 2-port 45mm X 45mm adapter for MAX, hybrid Z-MAX/UltraMAX or TERA outlets</p>		<p>MX-A-(XX)..... 2-port 50mm x 50mm adapter hybrid Z-MAX/UltraMAX and MAX modules or TERA outlets</p>
	<p>MX-RFP-S-02-02..... 2-port adapter 50mm x 50mm, white for MAX, hybrid Z-MAX/UltraMAX or TERA outlets</p>		<p>MX-45-01-(XX)LBL... 1-port 45mm x 45mm adapter with label for a MAX, hybrid Z-MAX/UltraMAX or TERA outlets</p>		<p>MX-22.5-1-(XX)LBL... 1-port 45mm x 22.5mm adapter with label for a MAX, hybrid Z-MAX/UltraMAX or TERA outlets</p>

Use (XX) to specify color: 02 = white, 25 = bright white, 82 = alpine white

	<p>T45-82L</p> <p>1-port 45mm x 45mm angled faceplate adapter, alpine white for MAX, hybrid Z-MAX/UltraMAX or TERA outlets</p>		<p>MX-JIS-(X)-(XX)-D....</p> <p>1-port Japanese faceplate adapter for a flat UTP MAX module with door</p> <p>Use (X) to specify print marking: B = blank, L = LAN</p> <p>Use (XX) to specify color: 02 = white, 70 = off-white</p>
			<p>MX-CKN-25.....</p> <p>1-port Clipsal adapter for use with Clipsal and HPM faceplates that accepts keystone MAX or hybrid Z-MAX/UltraMAX outlets. Bright White, pack of 10</p>

MAX Outlet Blanks and Doors

Blank inserts for unused ports and future growth and doors to protect outlets from outside contaminants.

<p>MX-BL-(XX).....</p> <p>Blank module, bag of 10</p>	<p>MX-FD-(XX)</p> <p>Door assembly for flat 6- or 8-position MAX modules, bag of 20</p>	<p>MX-AD-(XX).....</p> <p>Door assembly for angled 6- or 8-position MAX modules, bag of 20</p>

Use (XX) to specify color: 00 = clear (MX-AD-XX only), 01 = black, 02 = white, 04 = gray, 20 = ivory, 25 = bright white*, 80 = light ivory
 *Angled doors not available in bright white. Recommend using clear or white if required.

Ordering Information

MAX® and CT® Icons

Part Number Description

CT-ICON-(XX) 25 Coloured icon tabs (phone on one side, computer on reverse)



CT-ICON

Use (XX) to specify colour: 01 = Black, 02 = White, 03 = Red, 04 = Grey, 05 = Yellow, 06 = Blue, 07 = Green, 08 = Violet, 09 = Orange, 20 = Ivory, 25 = Bright White, 60 = Brown, 80 = Light Ivory
Add "B" for bulk pack of 100 icons or tabs.

MAX Labelling and Accessories

Part Number Description

CT-FP-LBL-104 10 perforated sheets of labels for faceplates that will fit any standard 8.5 x 11 printer, 104 labels/sheet.

MX-FP-CVR-00 Bag of 100 clear quick release 46mm label covers with rounded corners for MAX and 10GMAX horizontal and British faceplates.

CT-FP-CVR Bag of 100 clear 46mm label covers with squared corners for MAX horizontal, Australian and Italian faceplates.

Visit our website or contact our Technical Support Department for labelling software.

Because we continuously improve our products, Siemon reserves the right to change specifications and availability without prior notice.

North America
P: (1) 860 945 4200

Mexico
P: (521) 556 387 7708/09/10

Latin America
P: (571) 657 1950/51/52

Europe
P: (44) 0 1932 571771

China
P: (86) 215385 0303

India, Middle East & Africa
P: (971) 4 3689743

Asia Pacific
P: (61) 2 8977 7500

Siemon OEM Technologies
P: (1) 860 945 4213
www.siemon.com/oem

www.siemon.com

SS_Copper_MaxINLFFaceplates_RevJ 10/23

