


# Fast Docking Coupler Bar for Wire Mesh Cable Trays, 50 Pack

MODEL NUMBER: SRWBTLCLRBR



Securely connects straight sections of wire mesh cable tray in your data center or network closet with no hardware needed.

## Features

### Fast Docking Coupler Bars Help You Create Custom Cable Management Schemes

The SmartRack® SRWBTLCLRBR includes 50 black powder-coated metal coupler bars for easy installation with your wire mesh cable tray. They connect straight sections of cable tray to extend your cable management application along the wall, floor or ceiling of your data center, network closet or industrial space. The coupler bars snap easily into the wire mesh with no mounting hardware required.

## Specifications

OVERVIEW	
UPC Code	037332240385
Product Type	Coupler
Accessory Type	Cable Management Accessories
Cable Management System Component Type	Coupler
PHYSICAL	
Color	Black
Cable Jacket Color	Black
Shipping Dimensions (hwd / in.)	6.49 x 12.99 x 7.87
Shipping Weight (kg)	6.21
Unit Dimensions (hwd / in.)	0.602 x 10.700 x 0.709
Unit Dimensions (hwd / cm)	1.529 x 27.200 x 1.800

## Highlights

- Safely connects straight sections of wire mesh cable trays along a ceiling, floor or wall
- Allows you more flexibility in routing custom cable management applications
- Snaps easily into position with no mounting hardware needed

## Applications

- Extend a wire mesh cable tray system along the wall, floor or ceiling of your data center

## System Requirements

SRWB sectional piece

## Package Includes

- (50) Coupler bars
- Installation guide



Powering Business Worldwide



Unit Weight (lbs.)	0.270
Unit Weight (kg)	0.12
<b>STANDARDS &amp; COMPLIANCE</b>	
Product Compliance	RoHS
<b>WARRANTY &amp; SUPPORT</b>	
Product Warranty Period (Worldwide)	5-year limited warranty

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.