

Uncoated Steel Stainless Cable Tie

Ball Lock Type



• Material:	 316 Stainless steel for the most corrosive environments. High tensile strength. Low insertion force with excellent resistance to weathering and ageing.
• Features:	Water Absorption: none. Flammability: Non-flammable. Ultraviolet resistance: excellent. Chemical resistance: excellent.
Operating Temperature:	-80°C to +538°C.
Application:	 Self-locking head design speeds installation and locks into place at any length along the tie body. Provides a strong, durable method of cable bundling. Can be used in a wide range of indoor, outdoor and underground (including direct burial) applications. Smooth surfaces and rounded edges assures cable protection and worker safety. Provide the ultimate support for network cables.

-	Width (±0.2)	Length (±3)	
	0.25 (±0.02)		

Item No.	Colour	Width (mm)	Length (mm)	Max Bundle Diameter (mm)	Min Loop Tensile (kg)
SSCT1	Stainless Steel	4.6	150	46.0	90
SSCT2	Stainless Steel	4.6	200	61.9	90
SSCT6	Stainless Steel	4.6	300	93.7	90
SSCT3	Stainless Steel	4.6	360	112.8	90
SSCT4	Stainless Steel	4.6	520	163.8	90
SSCT8	Stainless Steel	7.9	200	61.9	160
SSCT9	Stainless Steel	7.9	300	93.7	160
SSCT5	Stainless Steel	7.9	360	112.8	160
SSCT7	Stainless Steel	7.9	520	163.8	160